



Unit Dimensions and Clearances

EVV140S / EVV160S




OVERALL NOMINAL DIMENSION (H X W X D)
= 412 X 1290 X 615
SUPPLY DUCT (H X W) = 300 X 815
RETURN DUCT = 340 X 1100
CONDENSATE DRAIN CONNECTION = 20mm OD

TOP VIEW




FRONT VIEW



SIDE VIEW

UNIT MODEL NUMBER	UNIT WEIGHT (kg)
EVV140S	53
EVV160S	56


MINIMUM SERVICE ACCESS AREAS AND AIRFLOW CLEARANCES




TOP VIEW

NOTES:


- Do not scale drawing. All dimensions are in mm unless specified. Refer to corresponding unit dimensional drawing for mounting hole details.
- Service Access Areas and Spaces for Airflow Clearances given are suggested minimum based on the condition that the spaces around the units are free from any obstructions and a walkway passage of 1000mm between the units or between the unit and the outside perimeter is available.
- Minimum Service Access Areas and Spaces for Airflow Clearances are responsibilities of the installer, ActronAir will not be held liable for any extra charges incurred due to lack of access and space for airflow.




EVV180S



TOP VIEW




FRONT VIEW




SIDE VIEW

UNIT MODEL NUMBER	UNIT WEIGHT (kg)
EVV180S	69

MINIMUM SERVICE ACCESS AREAS AND AIRFLOW CLEARANCES




NOTES:



- Do not scale drawing. All dimensions are in mm unless specified. Refer to corresponding unit dimensional drawing for mounting hole details.
- Service Access Areas and Spaces for Airflow Clearances given are suggested minimum based on the condition that the spaces around the units are free from any obstructions and a walkway passage of 1000mm between the units or between the unit and the outside perimeter is available.
- Minimum Service Access Areas and Spaces for Airflow Clearances are responsibilities of the installer, ActronAir will not be held liable for any extra charges incurred due to lack of access and space for airflow.


EVV210S/EVV240S




OVERALL NOMINAL DIMENSION (H X W X D)
= 485 X 1470 X 695
SUPPLY DUCT (H X W) = 380 X 715
RETURN DUCT = 410 X 1190
CONDENSATE DRAIN CONNECTION = 20mm OD

GAS PIPES
Ø 25.4 mm (1")
SWAGED
LIQUID PIPES
Ø 12.7 mm (1/2")
SWAGED

TOP VIEW




FRONT VIEW




SIDE VIEW

UNIT MODEL NUMBER	UNIT WEIGHT (kg)
EVV210S	75
EVV240S	78

MINIMUM SERVICE ACCESS AREAS AND AIRFLOW CLEARANCES



NOTES:



- Do not scale drawing. All dimensions are in mm unless specified. Refer to corresponding unit dimensional drawing for mounting hole details.
- Service Access Areas and Spaces for Airflow Clearances given are suggested minimum based on the condition that the spaces around the units are free from any obstructions and a walkway passage of 1000mm between the units or between the unit and the outside perimeter is available.
- Minimum Service Access Areas and Spaces for Airflow Clearances are responsibilities of the installer, ActronAir will not be held liable for any extra charges incurred due to lack of access and space for airflow.